

JEANNEAU 55 YACHTS



SUMMARY

CONCEPT

FEATURES

CONSTRUCTION

ENGINE

KEEL

VERSIONS & INTERIOR LAYOUTS CHOICES

UPHOLSTERY CHOICE

HULL AND DECK

MASTS AND RIGGING

SAIL HANDLING

COCKPIT

EXTERNAL CANVAS

ANCHORING, DOCKING AND TENDER

CLIMATE CONTROL AND ELECTRICAL SYSTEMS

SALOON

EQUIPMENT & APPLIANCES

MECHANICAL ACCESSORIES

TV & HIFI

ELECTRONIC PACK

[seanapps](#)



JEANNEAU
YACHTS

Concept

The project genesis

- Owner's yacht
- Dual cockpit
- Aft full beam lounging cockpit
- Walk around deck



Rigid sprayhood
The Dual Cockpit
OpenCockpit

JEANNEAU 55
YACHTS



CONCEPT



Jeanneau Yachts 55
naval architect



Jeanneau Yachts 55
interior designer



- 1 Real owner's sailboat
- 2 Dual Cockpit
- 3 Sunbathing & WA


1 Real owner's yacht

The forward two thirds of the boat is for the owner



3 cabins
heads
companionways


Private guest cabin access
Each cabin has its own companionway



2 Dual Cockpit

- Exterior chart table with autopilot control

- Double helm station




- Watch bench

3 Sunbathing & WA

- Sunbathing area better than a catamaran

Walk around side deck
+ new access to the stern



Exterior : Deck Life


- Aft cockpit : full beam cockpit dedicated to relaxation
- Convertible cockpit with telescopic tables
- Walk around deck with flush foredeck
- Fiberglass/ Stainless steel bowsprit to hold the anchor
- Mainsheet arch (standard)
- Hardtop with opening sun awning (option)
- Windscreen and rigid sprayhood (option)



CONCEPT

Interior: "Owners first"

- 2/3 of the yacht dedicated to owners
- Perfect privacy : Owners suite, VIP cabin, guests cabin, toilet rooms in between moderating the noise.
- J-shaped galley
- All cabins with private head
- High luxury level



Features

FEATURES



TECHNICAL DATA

Overall Length with Bowsprit	16,98 m / 55'8"
Hull Length	16,15 m / 52'11"
Waterline length	16,05 m / 52'7"
Beam	4,99 m / 16'4"
Displacement (empty)	19,311 kg / 42,573 lbs
Standard keel draft	2,45 m / 8'0"
Standard keel weight	4,900 kg / 10,803 lbs
Shallow keel draft	1,90 m / 6'2"
Shallow keel weight	5,688 kg / 12,540 lbs

Cabins	3
Berths	6 to 8
Fuel capacity	230 l / 61 US gal (+230 L / 61 US gal in option)
Water capacity	760 l / 201 US gal
Standard Yanmar engine	110 HP Shaft Drive / 81 kW
Furling Mainsail - Furling mast	68 m² / 732 Sq ft
Mainsail - Classic mast	79 m² / 850 Sq ft
Self tacking jib - Classic & furling masts	54 m² / 581 Sq ft
Furling genoa - Classic & furling masts	75 m² / 807 Sq ft

Air draft	25,20 m / 82'4"
CE category	A12 / B16 / C16 / D16
Architect	Philippe Briand / Andrew Winch / Jeanneau Design

Construction

CONSTRUCTION

- Vacuum infused hull. Solid laminate in keel area. Barrier coat used to guard against osmosis.
- Glued hull counter-mold
- Infused deck and counter-mold
- L-shaped cast iron keel
- Twin rudders with self-aligning roller bearings

Engine



STANDARD:

YANMAR ENGINE 110 HP SHAFT DRIVE

**FUEL CAPACITY = 230 L / 61 US Gal
(+230 L / 61 US Gal opt.)**



- 4 cylinders 16 valves Common Rail
- Power at shaft 174 hp at 2800 rpm
- HS45AE.....2,80/1

Specifications

Rated Output	80.9 kW / 110 mhp
Rated Speed	3200 rpm
Displacement	2 L / 122 cu. in
No. of cylinders	4 cylinders
Cylinder Bore x Stroke	84 mm x 90 mm / 3.31 in x 3.54 in
Combustion system	Direct Injection, Bosch Common Rail System
Aspiration	Turbocharged & Intercooled
Alternator	12V - 125A
Dry weight without gear	229 kg / 505 lbs
Dimensions	909 mm x 613 mm x 675 mm
Controls	Mechanical (optional - VC10 system)
Certifications	RCD 2 EPA Tier 3 EPA Tier 3C BSO II EMC SOLAS




STANDARD:

YANMAR ENGINE **110 HP** SHAFT DRIVE

3 blades folding propeller

RPM	SPEED (kts)	CONSUMPTION (l/h)	RANGE (NM) With only 230 L
1200	3,8	1,39	629
1600	5,6	3,48	370
2000	6,9	5,85	271
2400	8,0	9,84	187
2800	9,0	14,58	142
3280 (max)	9,6	21,33	103




Keel

GTE

STANDARD:

***lightweight draft**


2,45m / 8'0"
4 900 kg / 10 803 lbs



PTE

OPTION:


1,90m / 6'2"
5,688 kg / 12 540 lbs



Short keel : to access to shallow areas

The sailing performances are not really different

Draft Rudders



Version & interior layout choices

TWO CHOICES OF INTERIOR WOODWORK



Bulkheads and furniture:
Alpi® Teak
Open-pore varnish



Floorboard:
Laminate
Rovere Aleve
Oak



Bulkheads and furniture:
Alpi® White Oak
Open-pore varnish



Floorboard:
Laminate Dark
Oak



Alpi® interior woodwork laminated with solid wood trim
Fully-upholstered hull sides and ceiling


unique layout : 3 CABINS VERSION



2 aft 1 forward 3 heads

FEATURES

HEADROOMS (meter)




HEADROOMS (inches)



FEATURES

HEADROOMS (inches)



FRONT MASTER CABIN



- A** Large double berth
- B** Fixed hull port with aviation shades
- C** Double hanging locker
- D** 2nd bed access
- E** Sofa
- F** LED reading and bedside lamps
- G** Starting from hull #33
Standard : Vanity desk
Option : + Front hanging locker

FRONT MASTER CABIN




- H**  Pre fitting for TV
- I** Drawers under the bed
- J** Storage cabinet
- K** Sliding doors
- L** USB / AC plugs

FRONT MASTER CABIN




MASTER CABIN TOILET ROOM



Spacious head / Separated shower / 1 opening porthole





AFT PORT SIDE VIP CABIN




- (A) Large double berth
- (B) Fixed hull port with aviation shades
- (C) Hanging locker
- (D) Storages or  A35 Mini bar
- (E) Private companionway
- (F) Sofa

AFT PORT SIDE VIP CABIN



AFT STARBOARD GUESTS CABIN



- A Large double berth
- B Fixed hull port with aviation shades
- C Hanging locker
- D Private companionway

AFT CABINS

Night blinds are now more simple, and they are included in standard in the boat.

Composition:


A ceiling-mounted roller blind + a vertical fabric blind.

(no pictures yet)

INTERIOR


2 FRONT PEAK CHOICES : SAIL LOCKER or SKIPPER CABIN

Standard : Sail locker



Access through lockable deck hatch
Access ladder
Storage
Access to bow thruster and technical areas
LED lighting

+ Skipper cabin



Access through lockable deck hatch
Access ladder
Storage
2 bunk beds
Separated toilet compartment with sink & shower




Masts and Rigging



Standard :
White Dacron 390gr



Option :
Dark grey Proradial




Sails






STANDARD CONFIGURATION



Furling mast:

- Furling mainsail
- Self taking jib

PERFORMANCE VERSION



Classic mast:

- Full batten mainsail
- Furling Genoa



SAILS COMBINAISONS (4 choices)

STANDARD CONFIGURATION DACRON

Furling main / self taking Jib: 122m² / 1313 Sq ft

Furling main sail = 68m² / 732 Sq ft

Self taking Jib = 54m² / 581 Sq ft



Classic main / self taking Jib: 133m² / 1431 Sq ft

Classic main sail = 79m² / 850 Sq ft

Self taking Jib = 54m² / 581 Sq ft



Furling main & genoa: 143m² / 1539 Sq ft

Furling main sail = 68m² / 732 Sq ft

Genoa = 75m² / 807 Sq ft



Classic main & genoa: 154m² / 1657 Sq ft

Classic main sail = 79m² / 850 Sq ft

Genoa = 75m² / 807 Sq ft




Self taking staysail on furler = **35 m² / 377 Sq ft**



Code 3 = **162m² / 1743 Sq ft**


Upholstery

UPHOLSTERY




STANDARD:
PVC Marlin Ivory

MRL-3201
12-0703 TPX



Dyna Pearl

Dynamo II 08 Pearl



Dyna Marine

Dynamo I 32 Marine



Drom Cream

DROM 02



Drom Taupe


DROM 10

LEATHER



DK White

Duke DK01



DK Blue Night

Duke DK26

Hull and Deck

JEANNEAU YACHTS 55

Hull and deck

Standard:

- Arch



- Arch
- Sprayhood



- Arch
- Sprayhood
- Hardtop



- Arch
- Rigid sprayhood
- Arch awning



- Arch
- Rigid sprayhood
- Hardtop



Sail handling

WINCHES

Standard :

2 x 46.2 manual winches HARKEN

or

Option :

+ 2 x 46.2 electrical **rewind** winches HARKEN


Standard :

2 x 60.2 manual genoa winches HARKEN

or

Option :

+ 2 x 60.2 electrical **rewind** genoa winches HARKEN



HALYARD BAGS



Halyards bags on both sides

Winch handle bag

Aft cockpit

JEANNEAU 55
YACHTS
Aft Cockpit


Easy and safe circulation on cockpit and deck :
Even with the dinghy in place



JEANNEAU 55 YACHTS


Aft Cockpit

Easy and safe circulation on board:
Even with the dinghy in place




JEANNEAU
YACHTS 55
Aft Cockpit

A Perfect circulation on board:
Direct access from to the sea !




JEANNEAU
YACHTS 55
Aft Cockpit



- A Starboard U-shaped cockpit
- B Portside L-shaped cockpit
- C Garage access
- D Halyard bags on both side

JEANNEAU 55


Aft Cockpit



Standard :


Starboard : Teak cockpit table with fixed pedestal

Portside : No table, but you can use the table from the protected cockpit:



JEANNEAU 55

Aft Cockpit




Options:


+ **BE T20T** Starboard teak convertible cockpit table with electric pedestal

+ **BE T60** Portside teak convertible cockpit table with electric pedestal

The Garage



A complete "TIWAL" can fit in the garage



4'11" x 6'10" x 1'2"

JEANNEAU 55 YACHTS

Storage for life raft in cockpit



90 x 55 x 35 cm

79 kg

2'1" x 1'9" x 1'1"


174 lbs

TRANSOCEAN + : > 24 H (Type 1, A group)

Container

10 pers.


JEANNEAU
YACHTS 55
Cockpit



- A Access door
- B  BE P01 Retractable gangway
- C Retractable step
- D Large swim platform
- E Retractable swim ladder

JEANNEAU
YACHTS 55
Aft Cockpit

Full width sunbathing area



JEANNEAU
YACHTS 55
Aft Cockpit

+ IA H02 Electrical plancha




The plancha is under the aft starboard bench and slide above the swim platform

Protected cockpit

JEANNEAU YACHTS 55

Protected Cockpit



Maneuvering

Steering wheels
Electronics
Winches
Cleats

Voyager control station and lounge area

Charts table
Additional AXIOM
U-shaped saloon
Removable table
3 companion ways

JEANNEAU YACHTS 55

Protected Cockpit



Standard steering wheels
Diameter 900mm



+ D0 A08N Composite steering wheels (black color) (2)

Protected Cockpit



Saloon



Sunbath

convertible table to create a sunbath or a long cruising quarter

The table is also removable and can be used on the aft port cockpit (if the electric table on the portside option is not selected)

Protected Cockpit



Chart table

Facing the sea and fully protected



AxiomPro 12 Display at the watch station

RN E953E




AxiomPro 12 HybridTouch
Multifunction display Wifi.
Raymarine part number : E70482



The GPS comes with its box

JEANNEAU 55 YACHTS

Protected Cockpit



Access to the engine and the generator

Removable storage box

If you remove it, you have another access to the engine

External canvas

External canvas


+ **BE C0271** Classic sprayhood (in Lexan)



Opening panel to provide ventilation

External canvas

+ BE C47 Rigid sprayhood (windshield included)



Opening panel to provide ventilation

External canvas

+ BE D3571 Rigid sprayhood cover


(the option can cover only the rigid sprayhood or both rigid sprayhood and windshield)



External canvas

+ **BE IR171** Opening hard top

(Compatible with the two sprayhood options)



Hardtop with wings and with a manual sliding roof in canvas

External canvas

+ **BE F0171** Arch enclosure



(the upper canvas part is only included in this aft enclosure option)



(Not compatible with the hardtop option)



External canvas

+ BE F0971 Hardtop full enclosure

(Compatible with the two sprayhood options)



External canvas


+ **BE DA062** Aft cockpit sunshade on removable poles



+ **BE DA862** Front cockpit sunshade on removable poles




Full width sunbathing area



3,20m² / 34 Sq ft

+ BS M010I SUNBATHING MATTRESS




6'6" x 5'6"



Anchoring & Docking

Anchoring & Docking

+ BA M12 Anchoring kit



Galva chain Ø12
85m



DELTA anchor 32kg

Anchoring & Docking

 **BA M14** mooring kit

4 * mooring line Ø18 length 15ml

6 * fenders length 880 diameter 300 *

Anchoring & Docking



Standard:
Aluminum cleats



+ BA B05 Stainless steel cleats

Standard:

Electrical windlass QUICK 2000W 24V
B12





+ BE P01 Gangway *OPACMARE*

Anchoring & Docking

+ **BE B02** Retractable davits

Dinghy recommended $\approx 3,10\text{m}$
Max weight = 130 kg



JEANNEAU 55 YACHTS

Anchoring & Docking



Standard =

Side power retractable stern thruster
(Not proportional)



Standard =



Side power tunnel bow thruster
(Not proportional)




Electrical systems

JEANNEAU 55 YACHTS

Electrical system



Standard =
6* AGM batteries 95 Ah (570 Ah 12V)




Electrical system

+ FA S02 Solar panels

4* solar panels 80W (320W)
Solar panels brand : solaras

(The hardtop is mandatory)



Saloon

JEANNEAU
YACHTS 55
Saloon



JEANNEAU
YACHTS 55
Saloon



- A**  Foldable and telescopic saloon tables
- B** Central island with handrails
- C** Standard 144L fridge
- D** Storage or  144L fridge
Or washer dryer
-  Circuit breakers access
-  Control panel



JEANNEAU YACHTS 55

Saloon



A



II CA00 Double berth in saloon

Electrical saloon tables are mandatory

B



RH M7F TV pre-fitting

B

JEANNEAU
YACHTS 55
Saloon




JEANNEAU
YACHTS 55
Galley



- A Storages
- B Double sink
- C Oven Eno 3 burners
- D Garbage bin
- E 2 bins or  IA L04 Dishwasher + 1 bin
- F Countertops in Corian
- G  IA H00 Extractor hood
- H Opening panels


JEANNEAU
YACHTS 55
Galley



JEANNEAU 55

YACHTS

Galley




standard: storages

OR



+ IA I032 144L fridge/freezer



OR

+ IA L03 Washer dryer

1	2	3	2	3	1 Fridge / Frigorifero
1	2	2	1	1	2 Freezer / Congelatore
RFX	BTX	BTX IM	DTX	DTX IM	3 Freezer+Icemaker / Congelatore + Icemaker

JEANNEAU 55
YACHTS
Galley

+ 1A L04 Dishwasher



Standard :
Oven Eno Bretagne 3 burners



Number of burners: 3 burners / 1 oven / 1 grill

Oven volume: 19 L / 5 US gal

Power: 1.75 kW - 2.5 kW - 1.5 kW - 1.35 kW

Energy: Butane / Propane 28-30 mbar

Consumption: 491 g/h

Safety: Thermocouple

Pot holders: 2 pairs

Ignition: electronic

Materials: Stainless steel, enamelled furnace

Finish: Gloss


Gross weight: 26,6 Kg / 59 lbs

Marking: CE / AGM / USCG

Equipment & appliances

Tanks locations

Standard = 1 fuel tank 230L




+ MC A03 2nd fuel tank 230L

Standard = 2 water tanks 2x380L (760L)



Nanni maintenant ?




JEANNEAU YACHTS 55

Air conditioning

12.000 BTU

12.000 BTU

TOTAL=48.000 BTU




8.000 BTU

16.000 BTU


+ IC DE0IG Air conditioning


JEANNEAU
YACHTS

+ FA I17 Ship Control Web Scheiber server



+ II A13D2 CROKERY KIT



Kit for 6 people


Contains:

- Cutlery – 24 pcs
- 6 dinner plates (27 cm)
- 6 dessert plates (21 cm)
- 6 soup bowl (21 x 18 cm)
- 1 salad bowl (36 x 24 cm)
- 8 wine glasses 55 cL
- 8 water cups 48 cL
- 6 Coffee cups + saucer
- 6 mugs



TV & HIFI

JEANNEAU
YACHTS 55
TV





FORWARD CABIN

+ RH R380G

- FUSION APOLLO **RA770**



-HP BW interior (2)



SALOON + COCKPIT

+ RH R388G

- FUSION APOLLO **RA770**



-HP BW interior (2)



-SUBWOOFER



-HP FUSION exterior 6.5




AFT VIP PORT CABIN

+ RH R575R

- FUSION **SRX400**




-HP BW interior (2)




Electronic packages

Jeanneau Yachts 55 Offshore Electronic Pack



Jeanneau Yachts 55 Ocean Electronic Pack



OPTION Jeanneau Yachts 55

Axiom2 Pro 12 Display at the watch station



Axiom2 Pro 12 HybridTouch
Multifunction display Wifi.
Raymarine part number : E70655



**Wireless VHF handset at the watch station
Ocean Pack only**



Wireless VHF handset with base station
Raymarine part number : A80544 + A80540

**Second VHF handset at the Port helm
Offshore Pack only**



Second VHF wired handset
Raymarine part number : A80289

seanapps

CONNECTIVITY FOR ALL:
NEW & USED BOATS

Security



GPS location



Engine state



Batteries level



Navigation

Depth

Wind speed

Average speed

Maximum speed

Mileage

Comfort



Fuel level



Fluid level



Cabin humidity



Cabin temperature

→ Equipped as a **STANDARD** on 100% of the new boats



Owners

- ✓ Boat remote monitoring
- ✓ Real time alerts
- ✓ Maintenance recommendations
- ✓ Services



Dealers

- ✓ Fleet remote monitoring
- ✓ Services
- ✓ Maintenance plan
- ✓ Task manager

- ✓ Marketing analytics
- ✓ Technical analytics

This document was updated in May 2025
It may contain illustrations or text representing
or referring to optional equipment.
If changes appear on our 2024 models,
with regard to equipment or options referred to in this document,
only the 2024 Jeanneau pricing will apply.

